# MARYLAND HISTORICAL TRUST DETERMINATION OF ELIGIBILITY FORM

NR Eligible:	yes
	no

operty Name: Bridgeport Bridge (site) over the Monocacy River	Inventory Number: CARR-829
Address: East and West Banks of the Monocacy River, 50 feet south of SHA Bridge No. 1006500	Historic district: yes X no
City: Bridgeport, MD Zip Code:	County: Carroll
USGS Quadrangle(s): Taneytown	
Property Owner: Maryland State Highway Administration	Γax Account ID Number:
Tax Map Parcel Number(s): Tax Map Number	er: FR 16
Project: Replacement of SHA Bridge No. 1006500, MD 140 over Mono Agency	FHWA/SHA
Agency Prepared By: MD SHA	
Preparer's Name: Anne E. Bruder Architectural Historian	Date Prepared: 03/26/2009
Documentation is presented in: Project Review and Compliance Files	
Preparer's Eligibility Recommendation: Eligibility recommended	X Eligibility not recommended
Criteria: X A B X C D Considerations: A I	BCDEFG
Complete if the property is a contributing or non-contributing resource	to a NR district/property:
Name of the District/Property:	
Inventory Number: Eligible:yes	Listed: yes
Site visit by MHT Staff yes X no Name:	Date:
Description of Property and Justification: (Please attach map and photo)	
Description of Freperty and Castilleanies.	
The Bridgeport Bridge site consists of two abutments constructed of stone on the effect south of SHA Bridge No. 1006500. The original two-span covered bridge wa 1830 and demolished in 1932. The west abutment is the most intact, but it is cover abutment is in even more ruinous condition and it not easily identified.	s designed by Louis Wernwag between 1827 an
The Bridgeport Bridge site consists of two abutments constructed of stone on the effect south of SHA Bridge No. 1006500. The original two-span covered bridge wa 1830 and demolished in 1932. The west abutment is the most intact, but it is covered bridge was a specific to the construction of the construction of two specific products are constructed of stone on the effect south of SHA Bridge No. 1006500. The original two-span covered bridge was a specific product of the construction of the construction of the construction of two abutments constructed of stone on the effect south of SHA Bridge No. 1006500. The original two-span covered bridge was a specific production of the construction of the constr	s designed by Louis Wernwag between 1827 and red in vegetation and efflorescence. The east and and association. It was evaluated for on A, the site does not represent Maryland's each century bridge builder, the Bridgeport essary to identify the significance of the bridge of HP under Criterion C. Research conducted did ge or its construction, and thus it is not eligible
The Bridgeport Bridge site consists of two abutments constructed of stone on the effect south of SHA Bridge No. 1006500. The original two-span covered bridge wa 1830 and demolished in 1932. The west abutment is the most intact, but it is coverabutment is in even more ruinous condition and it not easily identified.  The Bridgeport Bridge site lacks integrity of design, materials, workmanship, feeling eligibility to be included in the National Register of Historic Places. Under Criteria transportation history. Under Criterion C, while Wernwag was an important nineted Bridge abutments do not fully represent the design, materials or workmanship neces Wernwag's work. As a result, the Bridgeport Bridge site is not eligible for the NRI not identify persons of local, state or national significance associated with the bridge under NRHP Criterion B. Criterion D was not investigated as part of these studies.  MARYLAND HISTORICAL TRUST REVIEW	s designed by Louis Wernwag between 1827 and red in vegetation and efflorescence. The east and and association. It was evaluated for on A, the site does not represent Maryland's each century bridge builder, the Bridgeport essary to identify the significance of the bridge of HP under Criterion C. Research conducted did ge or its construction, and thus it is not eligible
The Bridgeport Bridge site consists of two abutments constructed of stone on the effect south of SHA Bridge No. 1006500. The original two-span covered bridge wa 1830 and demolished in 1932. The west abutment is the most intact, but it is coverabutment is in even more ruinous condition and it not easily identified.  The Bridgeport Bridge site lacks integrity of design, materials, workmanship, feeli eligibility to be included in the National Register of Historic Places. Under Criteria transportation history. Under Criterion C, while Wernwag was an important ninete Bridge abutments do not fully represent the design, materials or workmanship nece Wernwag's work. As a result, the Bridgeport Bridge site is not eligible for the NRI not identify persons of local, state or national significance associated with the bridge under NRHP Criterion B. Criterion D was not investigated as part of these studies.	s designed by Louis Wernwag between 1827 and red in vegetation and efflorescence. The east and and association. It was evaluated for on A, the site does not represent Maryland's each century bridge builder, the Bridgeport essary to identify the significance of the bridge of HP under Criterion C. Research conducted did ge or its construction, and thus it is not eligible
The Bridgeport Bridge site consists of two abutments constructed of stone on the effect south of SHA Bridge No. 1006500. The original two-span covered bridge wa 1830 and demolished in 1932. The west abutment is the most intact, but it is cover abutment is in even more ruinous condition and it not easily identified.  The Bridgeport Bridge site lacks integrity of design, materials, workmanship, feelification eligibility to be included in the National Register of Historic Places. Under Criteria transportation history. Under Criterion C, while Wernwag was an important nineted Bridge abutments do not fully represent the design, materials or workmanship neces Wernwag's work. As a result, the Bridgeport Bridge site is not eligible for the NR not identify persons of local, state or national significance associated with the bridgen NRHP Criterion B. Criterion D was not investigated as part of these studies.  MARYLAND HISTORICAL TRUST REVIEW  Eligibility recommended  Eligibility not recommended	s designed by Louis Wernwag between 1827 and red in vegetation and efflorescence. The east and and association. It was evaluated for on A, the site does not represent Maryland's each century bridge builder, the Bridgeport essary to identify the significance of the bridge of HP under Criterion C. Research conducted did ge or its construction, and thus it is not eligible
The Bridgeport Bridge site consists of two abutments constructed of stone on the effect south of SHA Bridge No. 1006500. The original two-span covered bridge wa 1830 and demolished in 1932. The west abutment is the most intact, but it is cover abutment is in even more ruinous condition and it not easily identified.  The Bridgeport Bridge site lacks integrity of design, materials, workmanship, feeling eligibility to be included in the National Register of Historic Places. Under Criteria transportation history. Under Criterion C, while Wernwag was an important nineted Bridge abutments do not fully represent the design, materials or workmanship neces Wernwag's work. As a result, the Bridgeport Bridge site is not eligible for the NR not identify persons of local, state or national significance associated with the bridge under NRHP Criterion B. Criterion D was not investigated as part of these studies.  MARYLAND HISTORICAL TRUST REVIEW  Eligibility recommended  Eligibility not recommended	s designed by Louis Wernwag between 1827 and red in vegetation and efflorescence. The east and and association. It was evaluated for son A, the site does not represent Maryland's enth century bridge builder, the Bridgeport essary to identify the significance of the bridge of HP under Criterion C. Research conducted did ge or its construction, and thus it is not eligible is.
The Bridgeport Bridge site consists of two abutments constructed of stone on the efeet south of SHA Bridge No. 1006500. The original two-span covered bridge wa 1830 and demolished in 1932. The west abutment is the most intact, but it is cover abutment is in even more ruinous condition and it not easily identified.  The Bridgeport Bridge site lacks integrity of design, materials, workmanship, feelified eligibility to be included in the National Register of Historic Places. Under Criteriansportation history. Under Criterion C, while Wernwag was an important nineted Bridge abutments do not fully represent the design, materials or workmanship neced Wernwag's work. As a result, the Bridgeport Bridge site is not eligible for the NR not identify persons of local, state or national significance associated with the bridge number NRHP Criterion B. Criterion D was not investigated as part of these studies.  MARYLAND HISTORICAL TRUST REVIEW  Eligibility recommended Eligibility not recommended Criteria:  A B C D Considerations:  A MHT Comments:	s designed by Louis Wernwag between 1827 and red in vegetation and efflorescence. The east and and association. It was evaluated for son A, the site does not represent Maryland's enth century bridge builder, the Bridgeport essary to identify the significance of the bridge of HP under Criterion C. Research conducted did ge or its construction, and thus it is not eligible is.
The Bridgeport Bridge site consists of two abutments constructed of stone on the efeet south of SHA Bridge No. 1006500. The original two-span covered bridge wa 1830 and demolished in 1932. The west abutment is the most intact, but it is cover abutment is in even more ruinous condition and it not easily identified.  The Bridgeport Bridge site lacks integrity of design, materials, workmanship, feelified eligibility to be included in the National Register of Historic Places. Under Criteriansportation history. Under Criterion C, while Wernwag was an important nineted Bridge abutments do not fully represent the design, materials or workmanship neced Wernwag's work. As a result, the Bridgeport Bridge site is not eligible for the NR not identify persons of local, state or national significance associated with the bridge number NRHP Criterion B. Criterion D was not investigated as part of these studies.  MARYLAND HISTORICAL TRUST REVIEW  Eligibility recommended Eligibility not recommended Criteria:  A B C D Considerations:  A MHT Comments:	s designed by Louis Wernwag between 1827 and red in vegetation and efflorescence. The east and and association. It was evaluated for son A, the site does not represent Maryland's enth century bridge builder, the Bridgeport essary to identify the significance of the bridge of HP under Criterion C. Research conducted did ge or its construction, and thus it is not eligible is.
The Bridgeport Bridge site consists of two abutments constructed of stone on the effect south of SHA Bridge No. 1006500. The original two-span covered bridge wa 1830 and demolished in 1932. The west abutment is the most intact, but it is cover abutment is in even more ruinous condition and it not easily identified.  The Bridgeport Bridge site lacks integrity of design, materials, workmanship, feelir eligibility to be included in the National Register of Historic Places. Under Criteriot transportation history. Under Criterion C, while Wernwag was an important ninete Bridge abutments do not fully represent the design, materials or workmanship necessary work. As a result, the Bridgeport Bridge site is not eligible for the NR not identify persons of local, state or national significance associated with the bridgen NRHP Criterion B. Criterion D was not investigated as part of these studies.  MARYLAND HISTORICAL TRUST REVIEW  Eligibility recommended  Eligibility not recommended  Criteria:  A B C D Considerations:  A	s designed by Louis Wernwag between 1827 and red in vegetation and efflorescence. The east and an association. It was evaluated for on A, the site does not represent Maryland's enth century bridge builder, the Bridgeport essary to identify the significance of the bridge of HP under Criterion C. Research conducted did ge or its construction, and thus it is not eligible s.

# Maryland Historical Trust Maryland Inventory of Historic Properties Form

1. Name of I	Property	(indicate preferred	name)		
historic	Bridgeport Br	idge (site) over the Monoca	cy River		
other	Covered Bridg	ge over the Monocacy River			
2. Location					
street and number	Monocacy Riv	/er		_	_ not for publication
city, town	Bridgeport			<del>.</del>	vicinity
county	Carroll and Fr	ederick		***************************************	
3. Owner of	Property	(give names and mailing	addresses of all owner	s)	
name	Maryland Stat	e Highway Administration			
street and number	707 North Cal	vert Street		telephone	410-545-8501
city, town	Baltimore		state MD	zip code	21202
4. Location courthouse, registr		Maryland State Highway A	dministration liber	folio	
city, town	Baltimore, MI		(Carroll) and 16 (Frede		
Contri Detern Detern Recor Histor	buting Resource i mined Eligible for mined Ineligible for ded by HABS/HA	rt or Research Report at MH	land Register		
6. Classifica	ition				
Categorydistrictbuilding(s)structurex_siteobject	Ownership  X public  private  both	Current Functionagriculturecommerce/tradedefensedomesticeducationfunerarygovernmenthealth careindustry	landscape recreation/culture religion social X transportation work in progress unknown vacant/not in use other:	Number of	

7. Description	£	Inventory No. CARR-829
Condition		
excellent good	deteriorated X ruins	

Prepare both a one paragraph summary and a comprehensive description of the resource and its various elements as it exists today.

fair

altered

Prior to the Maryland State Roads Commission's (SRC) construction of SHA Bridge No. 1006500, a covered bridge was constructed to carry traffic across the Monocacy River on the Emmitsburg-Taneytown Turnpike. The original covered bridge is pictured in situ in Carroll County, Images of America. The photograph was taken in the early twentieth century by Taneytown photographer Ed Zepp. It shows a two span covered bridge supported by a stone pier and stone abutments. The abutments have a raking angle and rise to form parapets at the entrance and exit of the bridge. The exterior was clad with weatherboard and a gable roof covered the entire structure. A black and white photograph taken circa 1930 by the Hughes Company Photography Studio of Baltimore, Maryland, for the Maryland State Roads Commission (now the SHA), depicts the juxtaposition of the earlier, single-lane, covered bridge with the triple-span, filled, concrete-arch bridge from the west bank of the river, north of the current bridge and looking southeast.<sup>2</sup> This photography shows the old bridge's truss members rather than the cladding as it is in the final stage of demolition.

The ruins of stone abutments from the earlier bridge crossing are located approximately 50 feet south of the extant concrete bridge on both the east and west banks of the Monocacy River. Due to a lack of maintenance, the west stone abutment is covered in vegetation and exhibit efflorescence. The east abutment is more overgrown and not as visible. The stones have been quarried and a laid in courses to support the roadbed.

The former covered bridge was a double arch designed and built by bridge engineer Louis (or Lewis) Wernwag (1769-1843). The 1930s photograph shows both upper and lower arch rings that appear to be connected to the truss members. The arch rings extend through the bottom chords of the trusses and rest against the abutments.

In addition to the bridge abutments, there is a road trace associated with the earlier turnpike. The road trace from the former alignment of the Emmitsburg-Taneytown Turnpike is visible on the west bank of the Monocacy River. It is a grass-covered road that undulates from the westbound lane of MD 140 in a southeasterly direction through a sparsely wooded area toward a rise on the edge of the west bank of the river, ending where the USGS stream gauge monitoring station and stone abutment ruin are located. The alignment is defined and highly visible because it remains in use as a service road for the USGS stream gauge monitoring station. The former road alignment is not discernable on the east bank of the river, however.

Baty, Catherine, Carroll County, Images of America, page 96. See also, Images of America, Taneytown, Edited by Tyler J. Boone (2004), 123.
<sup>2</sup> Photo courtesy of the Office of Bridge Development, SHA, photo archives

8. Signific	ance			Inventory No. CARR-829
Period	Areas of Significance	Check and j	ustify below	
1600-1699 1700-1799 X 1800-1899 1900-1999 2000-	agriculture archeology architecture art commerce communications community planning conservation	<ul> <li>economics</li> <li>education</li> <li>engineering</li> <li>entertainment/</li> <li>recreation</li> <li>ethnic heritage</li> <li>exploration/</li> <li>settlement</li> </ul>	<ul> <li>health/medicine</li> <li>industry</li> <li>invention</li> <li>landscape architectu</li> <li>law</li> <li>literature</li> <li>maritime history</li> <li>military</li> </ul>	performing arts philosophy politics/government re religion science social history X transportation other:
Specific dates	circa 1827-1932		Architect/Builder L	ouis Wernwag
Construction da	ates 1827/1830			
Evaluation for:				
X	National Register	N	Maryland Register _	not evaluated

Prepare a one-paragraph summary statement of significance addressing applicable criteria, followed by a narrative discussion of the history of the resource and its context. (For compliance projects, complete evaluation on a DOE Form - see manual.)

The Emmitsburg-Taneytown Pike Bridge, a two-span covered bridge designed by the bridge engineer Louis (or Lewis) Wernwag was constructed in 1827-1830 and is an example of Wernwag's arch-rings-connected-to-thetruss system. The arch rings passed through the lower chords of the bridge truss to attach to the abutments. Theodore Burr is known for his covered arch bridges with their massive arches enclosing king post trusses. These two bridge systems were different from one another and acted in different manners when loaded.<sup>3</sup>

Louis (or Lewis) Wernwag (1769-1843) was a German immigrant who is best known for his construction of the ten-span, 1,744-foot, covered bridge over the Susquehanna River at Conowingo, Maryland, in 1818. This was the second bridge over the Susquehanna and it stood north of the present Conowingo Dam. Theodore Burr also built a multi-span covered bridge south of Conowingo near Port Deposit. Both failed although the Conowingo Bridge stood until the Dam was constructed. Wernwag was also noted for a covered bridge at Fairmont over the Schuylkill River near Philadelphia (1812-1813). Wernwag's other covered bridges in Maryland included a covered bridge over Jones Falls in Baltimore (1818), a pile and trestle bridge over the Choptank River near Cambridge (1823), a bridge over the Gunpowder River (no location given, but dated to 1825), and a bridge for the B&O Railroad over the Monocacy River on the National Pike near Frederick (1831).<sup>4</sup> An earlier article by David F. Sears in Portals from December 1964 suggests that Wernwag also built covered bridges in Maryland at Gorman, Garrett County in 1837, and the Bridgeport bridge as early as 1827 or 1830. His chronology also notes that a covered bridge near Bridgeport was rebuilt in 1910, but he does not specify if it was the Emmitsburg-Taneytown Pike Bridge or another nearby bridge. Wernwag's bridges were built in Pennsylvania, Maryland, West Virginia and Kentucky. Historic bridge engineers consider him among the important bridge engineers in the early nineteenth century (early Federal period). His designs were patented with the U.S. Patent Office starting in 1812.

<sup>&</sup>lt;sup>3</sup> Personal communications with Paul V. Liles, Jr., P.E., State Bridge Engineer, Georgia DOT, and David Simmons, President, Ohio Historic Bridge Association, February 2, 2009

<sup>&</sup>lt;sup>4</sup> Lee H. Nelson, The Colossus of 1812: An American Engineering Superlative, New York: American Society of Civil Engineers (1990), pp 59-60.
<sup>5</sup> David F. Sears, "Maryland's Covered Bridges built by Wernwag," *Portals* 4:4 (December 1964).

# Maryland Historical Trust Maryland Inventory of Historic Properties Form

Name Continuation Sheet

Number 8 Page 1

In addition to covered bridge building, Wernwag owned sawmills in Phoenixville, Pennsylvania, Conowingo, Maryland and Harpers Ferry, West Virginia during his lifetime. When not building covered bridges, he also supplied timbers for trestle bridges or buildings.<sup>6</sup>

A *Sun* newspaper article published in 1938 indicates that many of the old covered bridges in Maryland were retired from service due to safety concerns, and were replaced with newer bridges to accommodate traffic. Similarly, in 1947, *The Baltimore Sun* published an article written by Henry C. Rausch regarding the rapidly disappearing covered bridges in Maryland during the early-twentieth century. Most likely, Wernwag's covered bridge over the Monocacy River was no longer used after 1932 because of safety concerns.

The Emmitsburg-Taneytown Turnpike road had been established by an act of the Maryland General Assembly in December 1791, and the turnpike company began operations as early as 1805. During the 1826 session, the Frederick County Levy Court was authorized to "levy a sum of money, and rebuild a Bridge, over the Monocacy, on the road leading from Taney-town to Emmitsburg in said county." Evidently a bridge had been built in 1810, but it was replaced in 1827. The turnpike company was rechartered in 1847, but the bridge is not mentioned again in any of the session laws.<sup>7</sup>

The Emmitsburg-Taneytown Turnpike single-lane, two-span, covered bridge was constructed in 1827-1830 and spanned the Monocacy River, supported by a stone pier and abutments. Two photographs' captions in the local photographic histories (*Carroll* and *Taneytown*) state that the bridge was built in 1849. It was one of Maryland's longest bridges and remained in operation until 1932, even after the concrete-arch bridge was constructed in 1925. All that remains of the former Bridgeport Covered Bridge are two abutments on the east and west banks of the Monocacy River. Each is in ruinous condition as a result of the abandonment of the bridge site following its demolition in the early 1930s. Trees, small shrubs and efflorescence are growing in, on and through the abutments.

Covered bridges are rare structures in Maryland (there are 7 remaining on county or private roads), and are significant when they retain walls and a roof covering the interior arch or truss bridge. However, abandoned

 <sup>&</sup>lt;sup>6</sup> Richard Sanders Allen, Covered Bridges of the Middle Atlantic States, Brattleboro, VT: The Stephen Green Press (1959) 16.
 <sup>7</sup> Archives of Maryland Online. Laws of Maryland 1785-1791, Vol. 204, Page 673; Chap. LXXXII; Session Laws, 1810 Session, Vol. 599, Page 79, Chap. CXXIV, [n.p.]; Session Laws, 1826 Session, Vol. 437, Page 128, Passed March 3, 1827 (sic). This is probably the authorization for Wernwag's covered bridge. Session Laws, 1846 Session, Vol. 242 [n.p.].

<sup>&</sup>lt;sup>8</sup> David. F. Sears, "Maryland's Covered Bridges," *Portals*, September 1964. Sears provides a chronology of covered bridge construction in Maryland and sites 1827/1830 for the covered bridge at Bridgeport.

<sup>&</sup>lt;sup>9</sup> Boone 2004: 123; Brackbill 1937; Legler and Highsmith 2002: 18; P.A.C. Spero & Company et al. 1995:43; Sears 1964; Seventeenth, Eighteenth and Nineteenth Annual Reports of the State Roads Commission for the Years 1924, 1925 and 1926: 49. Although the photographs state that the bridge was constructed in 1849, Wernwag died in 1843. While his design may have been used as late as 1849, he was not responsible for the construction if it occurred at that time. Many of Maryland's covered bridges stood for 100 years, although they did need maintenance from time to time.

# Maryland Historical Trust Maryland Inventory of Historic Properties Form

Name Continuation Sheet

Number 8 Page 2

abutments alone do not sufficiently represent the structure that once stood over the river. Although the bridge was constructed by noted bridge builder Louis Wernwag, the site does not strongly represent that association because of its ruinous condition. The site lacks integrity of design, materials, workmanship, feeling and association, and does not retain any physical features that represent a covered bridge. Its period of significance dates from 1827 to 1932.

The Bridgeport Bridge site was assessed for its eligibility to be listed in the National Register of Historic Places under Criteria A and C. SHA has determined that the Bridgeport Bridge site is not eligible for inclusion in the NRHP under Criteria A or C as noted above. Research conducted as part of this study did not identify associations under NRHP Criterion B, while Criterion D was not investigated.

## 9. Major Bibliographical References

Inventory No. CARR-829

Please see attached bibliography.

## 10. Geographical Data

Acreage of surveyed property
Acreage of historical setting
Quadrangle name

Less than 1 acre
Less than 1 acre
Quadrangle scale: 1:24,000

#### Verbal boundary description and justification

The abutments are located on the east and west bank of the Monocacy River, approximately 50 feet south of the present SHA Bridge No. 1006500. The location is within SHA's right-of-way for MD 140, as shown on Carroll County Tax Map 18 and Frederick County Tax Map 16.

## 11. Form Prepared by

name/title	Anne E. Bruder with Stacy Streett			
organization	Maryland State Highway Administration	date	March 2009	
street & number	707 North Calvert Street	telephone	410-545-8501	
city or town	Baltimore	state	MD 21202	

The Maryland Inventory of Historic Properties was officially created by an Act of the Maryland Legislature to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 supplement.

The survey and inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

return to:

Maryland Historical Trust Maryland Department of Planning 100 Community Place Crownsville, MD 21032-2023 410-514-7600

# Maryland Historical Trust Maryland Inventory of Historic Properties Form

Name Continuation Sheet

Number 8 Page 1

Bibliography

Allen, Richard Sanders, covered Bridges of the Middle Atlantic States, Brattleboro, VT: The Stephen Green Press, 1959.

Archives of Maryland Online. Laws of Maryland 1785-1791, Vol. 204, Page 673; Chap. LXXXII; Session Laws, 1810 Session, Vol. 599, Page 79, Chap. CXXIV, [n.p.]; Session Laws, 1826 Session, Vol. 437, Page 128, Passed March 3, 1827 (sic). Session Laws, 1846 Session, Vol. 242 [n.p.].

Baty, Catherine, *Images of America: Carroll County*, Historical Society of Carroll County, Maryland, Charleston, SC: Arcadia Publishing, 2006.

Boone, Tyler J., *Images of America: Taneytown*. Historical Society of Carroll County, Maryland. Charleston, South Carolina: Arcadia Publishing, 2004.

Brackbill, Hervey, "Maryland's Covered Bridges." *The Sun, October 17*, 1937. Vertical Files at the Maryland Room, Enoch Pratt Free Library, Baltimore City, Maryland.

Clark, WM. Bullock, State Geologist, Maryland Geological Survey. Report on the Highways of Maryland: In Accordance with an Act Passed at the Session of the General Assembly of 1898. Baltimore, Maryland: The Johns Hopkins Press, December 1899.

"Covered Bridges." Evening Sun, September 13, 1940. Vertical Files at the Maryland Room, Enoch Pratt Free Library, Baltimore City, Maryland.

Covered Bridge's Truss Types, accessed http://www2.dot.state.oh.us/se/coveredbridges/truss\_types.htm, accessed January 30, 2009

DeLony, Eric, email correspondence January 29, 2009.

Getty, Joe, Carroll's Heritage: Essays on the Architecture of a Piedmont Maryland County. Westminster, Maryland: The County Commissioners of Carroll County, and The Historical Society and Carroll County, 1994.

Hollifield, William, Difficulties Made Easy: History of Turnpikes of Baltimore City and County. Cockeysville, Maryland: Baltimore County Historical Society, 1978.

Legler, Dixie and Carol M. Highsmith, *Historic Bridges of Maryland*. Prepared for the Maryland Department of Transportation, State Highway Administration and the U.S. Department of Transportation, Federal Highway Administration. Crownsville, Maryland: Maryland Historical Trust Press, 2002.

Melville, Pat, "Roads in Baltimore County, 1765-1794." The Archivist's Bulldog: Newsletter of the Maryland State Archives 17, no. 21 (November 24, 2003): 1-3.

Leviness, Charles T., *History of Road Building in Maryland*. Ed. J. William Hunt. The State Roads Commission of Maryland. Baltimore, Maryland: Maurice Leeser Company, 1959.

Liles, Paul, State Bridge Engineer, Georgia State Department of Transportation, email correspondence January 30, 2009.

# Maryland Historical Trust Maryland Inventory of Historic Properties Form

Name Continuation Sheet

Number 8 Page 2

Maryland Historical Trust, Maryland Inventory of Historic Properties (MIHP) forms:

*Bridgeport Survey District (F-6-89).* On file at the Maryland Historical Trust, Crownsville, Maryland. http://www.mdihp.net/cfm/dsp\_display.cfm, accessed February 2007.

Bridge No. 10065, MD 140 over the Monocacy River, Bridgeport, Frederick County, Maryland (F-6-119). On file at the Maryland State Highway Administration, Cultural Resources Division, Baltimore City, Maryland.

Nelson, Lee, Colossus of 1812, New York: ASCE Press, 1990.

"Old Covered Bridges Soon to go because of Ravages of Years." *Baltimore Sun, June 13, 1938.* Vertical Files at the Maryland Room, Enoch Pratt Free Library, Baltimore City, Maryland.

P.A.C. Spero & Company and Louis Berger & Associates. *Historic Highway Bridges in Maryland: 1631-1960, Historic Context Report.* Prepared for the Maryland State Highway Administration, Maryland Department of Transportation, Baltimore, Maryland, 1995.

Plant, Jane. "The Peace and Charm of Our Covered Bridges." *Baltimore American*, April 4, 1954. Vertical Files at the Maryland Room, Enoch Pratt Free Library, Baltimore City, Maryland.

Rausch, Henry C. "Maryland's Covered Bridges." *The Sun*, November 18, 1947. Vertical Files at the Maryland Room, Enoch Pratt Free Library, Baltimore City, Maryland.

Scharf, J. Thomas, 1843-1898. History of Western Maryland. vols. I and II, Reprinted 1968, Baltimore, Maryland: Regional Publisher Company, 1882.

Sears, David F. "Maryland's Covered Bridges." *Portals*, September 1964. Vertical Files at the Maryland Room, Enoch Pratt Free Library, Baltimore City, Maryland.


Simmons, David, President, Ohio Historic Bridge Association, email correspondence February 2, 2009.

The State Roads Commission. Ninth, Tenth, Eleventh and Twelfth Annual Reports of the State Roads Commission for the Years 1916, 1917, 1918 and 1919 to the General Assembly of Maryland. Baltimore, Maryland: Office of the State Roads Commission of Maryland, January 1920.

. Seventeenth, Eighteenth and Nineteenth Annual Reports of the State Roads Commission for the Years 1924, 1925 and 1926 to the General Assembly of Maryland. Baltimore, Maryland: Office of the State Roads Commission of Maryland, January 1927.

Williams, T.J. C. and Folger McKinsey. History of Frederick County, Maryland: From the Earliest Settlements to the Beginning of the War Between the States. Vol. I, Reprinted 1979, Baltimore, Maryland: Regional Publisher Company, 1910.

# Location Map USGS Taneytown Quad 1:24,000





UR-829 PARIDGEPORT PARIDGE (SATTE) OVER Monockey Pivez CARROLL 2, FEEDERICK COS, MD N. FRONDER W/2009 EXEL AREMINISOT REMAINS IN GORDIL



(128-829 PRIDGERCE BRIDGE (SITE) OVER WONDCHCY RIVER Cuzzon & FEED EXICELOS, MD. A, BRUDEZS W/2008 DECEMBENT REMAINS ID FEEDERICK CO.